

**DECLARATION OF PERFORMANCE**

DoP No.: 0756-CPD-0313-EN

1. Unique identification code of the product-type:

**B+BTec BIS-V**

2. Type, batch or serial number or any other element allowing identification of the construction product as required pursuant to Article 11(4):

**ETA-10/0135 Annex 1****Expiration date/Batch number: see packaging of the product.**

3. Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

<i>Generic type:</i>	<b>Bonded anchor for post installed rebar</b>
<i>For use in:</i>	<b>Cracked and non cracked concrete C12/15 to C50/60 acc. EN206-1: 2000 Sizes D8, D10, D12, D14, D16, D20, D22, D24 and D25</b>
<i>Option/category:</i>	<b>TR023 (ETAG 001)</b>
<i>Loading:</i>	<b>Static or quasi-static</b>
<i>Material(s):</i>	<b>Reinforcing bars according to ETA-10/0135 annex 3  Sizes D8, D10, D12, D14, D16, D20, D22, D24 and D25</b>
<i>Temperature range(s):</i>	<b>-40°C to +80°C (max. short temperature +80°C and max. long term temperature +50°C)</b>

4. Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant to Article 11(5):

**B+BTec BV, Munterij 8, 4762AH, Zevenbergen, The Netherlands**

5. Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12(2): N.A.

6. System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V:

**System 1**

7. In case of the Declaration of Performance concerning a construction product covered by a harmonised standard: N.A.

8. In case of the Declaration of Performance concerning a construction product for which a European Technical Assessment has been issued:

**Deutsches Institut für Bautechnik (DIBt) has issued the****European Technical Approval ETA-10/0135**

on the basis of

**ETAG 001-1, -5 and TR023**

The Notified Body 0756 performed

**third-party tasks, as described in Annex V of System 1,  
and has issued Certificate of Conformity 0756-CPD-0313.**

**DECLARATION OF PERFORMANCE**

DoP No.: 0756-CPD-0313-EN

9. Declared performance:

Essential Characteristics	Design Method	Performance	Harmonized Technical Specification
<i>Characteristic resistance for Tension:</i>	EN1992-1-1 ETA-10/0135 (4.3)	ETA-10/0135, Annex 5	ETAG 001 Parts 1 and 5 and TR023
<i>Minimum Edge Distance and Minimum Spacing:</i>	EN1992-1-1 ETA-10/0135 (4.3)	ETA-10/0135, Annex 2	

10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9.

This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:



**R.G.W. van den Boogaart**  
**General Manager**  
*(Name and function)*



**G.A. Kant**  
**Q.A. Manager**

*Zevenbergen, Juni 2014*  
*(Place and date of issue)*

